ROSETTA PLASMA CONSORTIUM ION AND ELECTRON SENSOR

1 eV to 22 KeV Energy: Range

Resolution 0.04

90° x 360° Range (FOV) Angle:

(2.8 Pi sr)

5° x 22.5° Resolution (elect.)

(18 azimuthál x 16 polar)

Resolution (ions) 5° x 45° (5° x 5° for in one sector)

(18 azimuthal x 16 polar)

Temporal resolution:

3D Distribution 3s

Downlink Data 300s

Geometric factor:


[in units of cm² sr eV/(eV counts/ion)]

Total (ions) 5 x 10⁻⁴

per 45 deg sector 5 x 10⁻⁵

Total (electrons) 5×10^{-5}

per sector (electrons) 5 x 10⁻⁶



1040 g 1297 cm³ Mass Volume

Sensor Dimensions:

73 mm dia x 101 mm

Electronics Dimensions:

139 mm x 121 mm x 64 mm

1850 mW Power

Downlink Data Rate 5-250 bps

RPC IES Data Set Evaluation Tools

Staging -

Machine: IBM Ienovo T60p ThinkPad Operating System: Fedora 25 Linux

Evaluation -

Machine: Dell Precision T3400

Operating System: fedora 19 Linux

Data Processing -

Machine: Sun Ultra-350

Operating System: Sun Solaris OS 5.9

RPC IES Data Sets

ro-c-rpcies-2-prl-v2.0 ro-c-rpcies-2-esc1-v2.0 ro-c-rpcies-2-esc3-v2.0 ro-c-rpcies-2-esc4-v1.0 ro-c-rpcies-2-ext1-v1.0 ro-c-rpcies-2-ext2-v1.0 ro-c-rpcies-2-ext3-v1.0 ro-c-rpcies-3-prl-v1.0 ro-c-rpcies-3-esc1-v1.0 ro-c-rpcies-3-esc3-v1.0 ro-c-rpcies-3-esc4-v1.0 ro-c-rpcies-3-ext1-v1.0 ro-c-rpcies-3-ext2-v1.0 ro-c-rpcies-3-ext3-v1.0 **Documentation Examination**

ro-c-rpcies-3-ext1-v1.0 catalog/dataset.cat

This file mentions both the HGRTN and Cheops reference frame. It defines the HGRTN reference frame in detail but not the Cheops reference frame. Why is the Cheops reference frame not defined in this document as well?

ro-c-rpcies-3-ext3-v1.0 catalog/ref.cat

There are two references in the proposed list which are ITAR controlled documents. The SwRI Legal Department reports "Revealing the existence of an ITAR controlled document is itself a violation of ITAR".

The JPL Library staff has acknowledged that the following two references to JPL Documents are not cleared for public release: ASMAR&HERRERA1993 and ASMARETAL1995. They should not be included in this reference list and should not be referenced in the public archive. Please remove these references.

ro-c-rpcies-3-ext3-v1.0 catalog/rpcies_inst.cat

Calibration

The IES instrument was calibrated on the ground in the ion calibration facility at the Southwest Research Institute, San Antonio, TX, USA. In addition cross-calibrations are performed in flight with the RPC-LAP and RPC-ICA instruments.

Since the calibration document included with this archive refers to the IES instrument as the Protoflight Unit, I would suggest adding the clarification "(the Protoflight Unit was upgraded to the Flight Unit status)" after the word "instrument" in the first sentence.

IES modes are not discussed nor described in the EAICD as stated.

Not Included Not Included

A science data collection mode is determined by the LUT(s) specified in the definition of the mode and determined by the command sequence sent to the instrument. See the 3 tables in the Appendix to the Rosetta-RPC-IES Planetary Science Archive Interface Control Document, Document No. 10991-IES-EAICD-01 for details of the data collapsing for each science mode. These tables

RID002

ro-c-rpcies-3-esc1-v1.0 ro-c-rpcies-3-ext3-v1.0 ro-c-rpcies-3-prl-v1.0 calib/calinfo.txt

The Level 3 data sets include subdirectories in the calib folder. These directories are not described in the calinfo.txt file.

ro-c-rpcies-3-ext1-v1.0/document/ies_eaicd/10991-ies-eaicd-03.pdf — 1 of 4

| Fix Error | 3.3.3.3 | Index Directory | |
|-----------|---------|-----------------------------------|--|
| , | | Browse Directory and Browse Files | |
| | | Geometry Directory | |
| | | Document Directory | |
| | | Data Directory | |

No Browse Directory exists under the Root Directory

RID004

3.3.3.1 Root Directory

| Table 2: Root Directory Contents | | | |
|----------------------------------|--|--|--|
| File Name | File Contents | | |
| AAREADME.TXT | This file completely describes the Volume organization and contents | | |
| VOLDESC.CAT | A description of the contents of this Volume in a PDS format readable by both humans and computers | | |
| CATALOG/ | Catalog directory | | |
| DOCUMENT/ | Document directory | | |
| INDEX/ | Index directory | | |
| DATA/ | Data directory | | |
| BROWSE/ | Browse directory | | |
| CALIB/ | Calibration data directory | | |

ro-c-rpcies-3-ext1-v1.0/document/ies_eaicd/10991-ies-eaicd-03.pdf — 2 of 4

Incorrect file naming exists under the Catalog Directory

3.3.3.2 Catalog Directory

| Table 3: | Catalog | Directory | Contents |
|----------|---------|-----------|----------|
|----------|---------|-----------|----------|

| File Name | File Contents |
|--------------|---|
| CATINFO.TXT | A description of the contents of this directory |
| DATASET.CAT | PDS Data Set catalog description of all the IES data files |
| INSTHOST.CAT | PDS instrument host (spacecraft) catalog description of the Rosetta orbiter spacecraft |
| INST.CAT | PDS instrument catalog description of the IES instrument |
| MISSION.CAT | PDS mission catalog description of the Rosetta mission |
| PERSON.CAT | PDS personnel catalog description of IES Team members and other persons involved with generation of IES Data Products |
| REF.CAT | IES-related references mentioned in other *.CAT files |
| SOFTWARE.CAT | Software catalog file |

Found were files: rpcies_inst.cat, rpcies_pers.cat, and rpcies_software.cat

ro-c-rpcies-3-ext1-v1.0/document/ies_eaicd/10991-ies-eaicd-03.pdf — 3 of 4

Incorrect file name and missing files under the IES_EAICD Directory

3.3.3.5 Document Directory

| Table 4: Document Directory Contents | | | | |
|--------------------------------------|---|--|--|--|
| File Name | File Contents | | | |
| DOCINFO.TXT | A description of the contents of this directory and all subdirectories. | | | |
| IES_EAICD/ | Directory containing the IES EAICD document | | | |
| IES_EAICD/IES_EAICD.DOC | The IES Experiment-Archive Interface Control Document as a MS Word doc | | | |
| IES_EAICD/IES_EAICD.TXT | The IES Experiment-Archive Interface Control Document in plain text | | | |
| IES_EAICD/IES_EAICD.LBL | A PDF detached label that describes IES_EAICD.HTM, IES_EAICD.ASC, and IES_EAICD.PDF | | | |

Missing files are: IES_EAICD.DOC, IES_EAICD.LBL, and IES_EAICD.TXT

Undefined file is: 10991-ies-eaicd-03.lbl and 10991-ies-eaicd-03.pdf

Extra files found under the Document Directory are:

anodes/anodes.lbl, anodes/anodes.pdf, flux_calculation/flux_calculation.lbl, flux_calculation/flux_calculation.pdf, ground_calib/8182-calpfm-01_r0.lbl, ground_calib/8182-calpfm-01_r0.pdf, ies_modes/ies_modes.lbl, and ies_modes/ies_modes.pdf

ro-c-rpcies-3-ext1-v1.0/document/ ies_eaicd/10991-ies-eaicd-03.pdf — 4 of 4


Missing from this document is the following:

- 1) Description of the file format for the uncertainty and background files.
- 2) Description of the location of the uncertainty and background files
- 3) Discussion of how uncertainties are determined
- 4) Discussion of data compression modes and reference to appropriate tables

Background and uncertainty data files are suggested to be under the DATA directory; however, they were found under the calibration directory. The EAICD should updated to include the correct information on where to locate these files or they should be moved to the DATA directory.

ro-c-rpcies-3-ext3-v1.0/document/flux_calculation/flux_calculation.pdf — 1 of 3

Unknown Text
$$\epsilon_{electrons} = 0.52e^{-\left(\frac{\log E - 2.30}{\sqrt{2}*0.64}\right)^2} - 0.028*\log^2 E + 0.4 \text{Qlog} \qquad E + 0.071$$
 (8)



$$DF = \frac{\frac{15 (C)}{0.095(s)}^{-0.3 (C)}}{\frac{2.8*10^{-9} \left(m^2*sr*^{eV}/\left(eV\frac{counts}{electron}\right)\right)^*0.67\%}} = 8.5\% 10^{-10} \left(\frac{electrons}{m^2*s*sr*(eV/eV)}\right) (10)$$
Unknown Text

ro-c-rpcies-3-ext3-v1.0/document/flux_calculation/flux_calculation.pdf — 2 of 3

This reference is incomplete:

Broiles, T.W. et al., Characterizing cometary electrons with kappa distributions, *Journal* of Geophysical Review-Space Science, in preperation

It has been published over a year ago, so please update the text....





Journal of Geophysical Research: Space Physics

RESEARCH ARTICLE

Characterizing cometary electrons with kappa distributions

10.1002/2016JA022972

T. W. Broiles¹, G. Livadiotis¹, J. L. Burch¹, K. Chae¹, G. Clark², T. E. Cravens³, R. Davidson⁴, A. Eriksson⁵,

Citation:

Broiles, T. W., et al. (2016), Characterizing cometary electrons with kappa distributions, J. Geophys. Res. Space Physics, 121, 7407–7422, doi:10.1002/2016JA022972.

Received 18 MAY 2016 Accepted 21 JUL 2016 Accepted article online 26 JUL 2016 Published online 12 AUG 2016 Corrected 23 AUG 2016


ro-c-rpcies-3-ext3-v1.0/document/flux_calculation/flux_calculation.pdf — 3 of 3


Document fails to explain the difference between the "Coarse BG Counts" and "Fine BG Counts" described in the data files for ions. This document only describes one procedure for generating background which is dependent on only one anode for each species. How can two values be derived from one anode for the ions? This document does not describe which quantity is used to generate calibrated flux since it makes no distinction between the ion and electron background calculations. This document does not describe when it is appropriate to use each type of background and needs to include a complete description of determination of the ion background.

Negative flux values were found in the flux data files. Missing from this file is a discussion of negative flux values and what a user should do when they are encountered. For example, the user should know if negative values mean to reflect the flux value in angle, average the flux data, or ignore the flux data.


Data Examination


Galand *et al*,, Ionospheric plasma of comet 67P probed by Rosetta at 3 AU from the Sun, Royal Astronomical Society, *MNRAS*, **462**, S331-S351, doi:10.1093/nmras/stw2891, 2016.






Galand *et al*,, Ionospheric plasma of comet 67P probed by Rosetta at 3 AU from the Sun, Royal Astronomical Society, *MNRAS*, **462**, S331-S351, doi:10.1093/nmras/stw2891, 2016.








Edberg et al., ,CME impact on comet 67P/Churyumov-Gerasimenko, Royal Astronomical Society, *MNRAS*, **462**, S45-S56, doi:10.1093/nmras/stw2112, 2016.



Edberg et al., ,CME impact on comet 67P/Churyumov-Gerasimenko, Royal Astronomical Society, *MNRAS*, **462**, S45-S56, doi:10.1093/nmras/stw2112, 2016.







Conclusion

The contents of the Level 3 Flux data file was examined to determine that there were non-zero Flux values. So I must have something incorrect in my definitions in order to produce the effect that is observed. This is probably IES Mode related since the data draws correctly for other modes at other times.

Therefore, the Flux data file is proper and the fault is mine.

Backup Slides

ro-c-rpcies-3-ext3-v1.0 ro-c-rpcies-2-prl-v2.0 aareadme.txt

ro-c-rpcies-3-ext3-v1.0 ro-c-rpcies-2-prl-v2.0 voldesc.cat

ro-c-rpcies-3-ext1-v1.0 catalog/catinfo.txt

ro-c-rpcies-3-ext1-v1.0 catalog/rpcies_software.cat

ro-c-rpcies-3-ext1-v1.0 catalog/rpcies_pers.cat

ro-c-rpcies-3-ext3-v1.0/calib azimuth_angles.lbl azimuth_angles.tab

ro-c-rpcies-3-ext3-v1.0/calib elevation_angles.lbl elevation_angles.tab

ro-c-rpcies-3-ext3-v1.0/calib energy_steps.lbl energy_steps.tab

ro-c-rpcies-3-ext3-v1.0/calib ies_modes.lbl ies_modes.tab

ro-c-rpcies-3-ext3-v1.0/calib polar_sectors.lbl polar_sectors.tab

ro-c-rpcies-3-ext3-v1.0/calib step_integration.lbl step_integration.tab

ro-c-rpcies-3-ext3-v1.0 document/docinfo.txt

ro-c-rpcies-3-ext3-v1.0/document/ ground_calib/8182-calpfm-01_r0.lbl ground_calib/8182-calpfm-01_r0.pdf

ro-c-rpcies-3-ext3-v1.0/document/ anodes/anodes.lbl anodes/anodes.pdf

ro-c-rpcies-3-ext3-v1.0/document/ ies_modes/ies_modes.lbl ies_modes/ies_modes.pdf

ro-c-rpcies-3-ext1-v1.0/document/ies eaicd/10991-ies-eaicd-03.lbl

ro-c-rpcies-3-ext3-v1.0/document/flux_calculation/flux_calculation.lbl