

Solar Wind Around Pluto

SWAP

PRINCIPAL INVESTIGATOR
Dave McComas, Princeton University


DESCRIPTION
Low Energy Plasma Instrument

ENERGY RANGE
30 eV - 7.7 keV

FIELD OF VIEW
270 deg x 10 deg
(deflection angles up to +15 deg)

ENERGY RESOLUTION
1 eV (< 2 keV); 9% (> 2 keV)

SPECIES
All Ions



New Horizons SWAP Data Sets

RAW Data Sets:

nh-x-swap-2-kemcruise1-v1.0

CALIBRATED Data Sets:

nh-x-swap-3-kemcruise1-v1.0

New Horizons SWAP Data Set Evaluation Tools

Staging and Evaluation -

Machine: Dell Precision T3400

Operating System: Fedora 18 linux

Data Processing -

Machine: Sun Ultra-350

Operating System: Sun Solaris OS 5.9

Staging and Minor Diagnostics -

Machine: IBM lenovo T60p ThinkPad

Operating System: Fedora 25 linux

SWAP Documentation Evaluation

nh-x-swap-3-kemcruise1-v1.0/catalog swap.cat 1 of 2

Calibration

=====

See

/DOCUMENT/SWAP/SWAP_CAL.*



The files `SWAP_CAL.*` are in the `DOCUMENT` directory directly, not in a separate `SWAP` subdirectory as shown.

nh-x-swap-3-kemcruise1-v1.0/catalog swap.cat 2 of 2

The SWAP experiment detects atmospheric escape from Pluto as a change in the solar wind caused by the interaction of the Pluto atmosphere with the solar wind. In certain scenarios, a factor of 10 variation in the solar wind may occur over a period of days. It is therefore critical to measure the solar wind for several solar rotations in order to characterize the most likely external solar wind properties during the actual encounter period.

Since this is the kem data set where the New Horizons spacecraft has already passed Pluto, should this text not be either updated to reflect the New object or removed from the Operational Considerations?

nh-x-swap-3-kemcruise1-v1.0/document swap_cal.pdf – 1 of 2

Formula for RPA Voltage as a function of Azimuth Angle

$$f = \cos^2(2\alpha),$$

$$\alpha \leq 4.0$$

This includes
negative angles.

$$f = \cos^2(3.5\alpha | 20) - 0.03,$$

$$4.0 < \alpha \leq 10$$

(2)

$$f = \cos^2(5.5\alpha - 65) - 0.085,$$

$$10 < \alpha$$

Unknown Math Symbol

I assume that
this is an average
value for f since
it covers the same
 α range as the first
two definitions.

I assume that $f = 0$ for $\alpha \geq 10^\circ$
and $f = 0$ for $-10^\circ \leq \alpha$

nh-x-swap-3-kemcruise1-v1.0/document
swap_cal.pdf – 2 of 2

Since you have to touch this file to fix the previous equation description, I would cite the instrument reference at the first instance. Say something like: the instrument paper is included in the document directory in the file swap_ssr.pdf.

nh-x-swap-3-kemcruise1-v1.0/document
nh_met2utc.tbl & nh_met2utc.pdf

These files need to be updated to include the current data. The last entry in the tab file is on January 2, 2016. Data should continue through the time covered by the data submitted in this archive.

nh-x-swap-3-kemcruise1-v1.0/document/traj
trajinfo.txt

This file needs to be updated to (1) extend the TRAJ_2006_2015_1D.TAB file to include the correct trajectory information and adjust the comments, and (2) remove the files and references to the TRAJ_PLUTO_FLYBY files.

nh-x-swap-3-kemcruise1-v1.0/document/traj
traj_2006_2015_1d.tbl & traj_2006_2015_1d.tab


These files represent the trajectory of the New Horizons spacecraft and need to be updated to include the data for the time range of submission.

nh-x-swap-3-kemcruise1-v1.0/document/traj
traj_pluto_flyby.lbl & traj_pluto_flyby.tab


Remove these files from this archive. They are
not relevant to the kem dataset.

nh-x-swap-3-kemcruise1-v1.0/calib background_009_dac.tab

SWAP background_009_dac.tab: Plan 3, Sweep 3




SWAP background_009_dac.tab: Plan 3, Sweep 3




nh-x-swap-3-kemcruise1-v1.0/calib background_009_dac_jup.tab

SWAP background_009_dac_jup.tab: Plan 0, Sweep 0




SWAP background_009_dac_jup.tab: Plan 0, Sweep 0




Data Looks Good

nh-x-swap-3-kemcruise1-v1.0/calib esa_rpa_v16_energy_binsf_new.tab


SWAP esa_rpa_v16_energy_binsf_new.tab: Plan 0, Sweep 0, 1st Entry




SWAP esa_rpa_v16_energy_binsf_new.tab: Plan 0, Sweep 0, 1st Entry



SWAP esa_rpa_v16_energy_binsf_new.tab: Plan 0, Sweep 0, 2nd Entry




SWAP esa_rpa_v16_energy_binsf_new.tab: Plan 0, Sweep 0, 2nd Entry




nh-x-swap-3-kemcruise1-v1.0/calib esa_rpa_v18_energy_binsf_new.tab


SWAP esa_rpa_v18_energy_binsf_new.tab: Plan 3, Sweep 3, 1st Entry




SWAP esa_rpa_v18_energy_binsf_new.tab: Plan 3, Sweep 3, 1st Entry



SWAP esa_rpa_v18_energy_binsf_new.tab: Plan 4, Sweep 4, 2nd Entry




SWAP esa_rpa_v18_energy_binsf_new.tab: Plan 4, Sweep 4, 2nd Entry




nh-x-swap-3-kemcruise1-v1.0/calib esa_rpa_v19_energy_binsf_new2.tab – 1 of 2


SWAP esa_rpa_v19_energy_binsf_new2.tab: Plan 0, Sweep 0, 1st Entry



SWAP esa_rpa_v19_energy_binsf_new2.tab: Plan 0, Sweep 0, 1st Entry




SWAP esa_rpa_v19_energy_binsf_new2.tab: Plan 5, Sweep 5, 2nd Entry




nh-x-swap-3-kemcruise1-v1.0/calib esa_rpa_v19_energy_binsf_new2.tab – 2 of 2


SWAP esa_rpa_v19_energy_binsf_new2.tab: Plan 2, Sweep 2, 3rd Entry




SWAP esa_rpa_v19_energy_binsf_new2.tab: Plan 12, Sweep 10, 4th Entry



SWAP esa_rpa_v19_energy_binsf_new2.tab: Plan 12, Sweep 11, 5th Entry



nh-x-swap-3-kemcruise1-v1.0/calib esa_shape.tbl & esa_shape.tab




Plot created by SDDAS/gPlot - J. Mukherjee, et al. Generated on Sun Sep 30 12:03:37 2018.

Data Looks Good

nh-x-swap-3-kemcruise1-v1.0/calib rpa_shape.tbl

SWAP rpa_shape.tbl



Plot created by SDDAS/gPlot - J. Mukherjee, et al. Generated on Sun Sep 30 12:03:54 2018.


Data Looks Good

nh-x-swap-3-kemcruise1-v1.0/index index.lbl & index.tab

```
OBJECT      = COLUMN
COLUMN_NUMBER = 7
NAME = REDUCTION_LEVEL
START_BYTE = 172
BYTES = 10
DATA_TYPE = CHARACTER
FORMAT = "A10"
DESCRIPTION = "This parameter provides the level of data
reduction:


    LEVEL1 = Uncleaned data in units of DN
    LEVEL2 = Reduced data in engineering units
              appropriate for the instrument.
    "
END_OBJECT = COLUMN
```

This Level 3 index file looks odd to me. In the label description only describes the option for “Level 1” or “Level 2”, despite this being a Level 3 archive. In the table files are listed the “Level 2”; however, the names of the data files described in the table are the Level 3 file names. I checked the Level 2 archive. The Level 2 table shows “Level 1” in the field and Level 2 file names are shown.




SWAP Data Evaluation

nh-p-swap-3-pluto-v3.0/data Science Data (0x584)




nh-p-swap-3-pluto-v3.0/data

Relative Uncertainty




nh-p-swap-3-pluto-v3.0/data

Absolute Maximum Uncertainty




nh-p-swap-3-pluto-v3.0/data

Absolute Minimum Uncertainty



nh-p-swap-3-pluto-v3.0/data Histogram Data (0x586)




Certification

These data are certifiable once the minor documentation errors are corrected.


BACK-UP SLIDES

nh-p-swap-3-pluto-v3.0/data Science Data (0x584)




nh-p-swap-3-pluto-v3.0/data

Blow-up of Odd Secondary CEM




nh-p-swap-3-pluto-v3.0/data

Relative Uncertainty




nh-p-swap-3-pluto-v3.0/data

Absolute Maximum Uncertainty




nh-p-swap-3-pluto-v3.0/data


Absolute Minimum Uncertainty



nh-p-swap-3-pluto-v3.0/data Histogram Data (0x586)



nh-p-swap-3-pluto-v3.0/data Pluto Encounter



nh-x-swap-2-kemcruise1-v1.0
aareadme.txt

GOOD

nh-x-swap-2-kemcruise1-v1.0
voldesc.cat

GOOD

nh-x-swap-3-kemcruise1-v1.0/catalog
catinfo.txt

GOOD

nh-x-swap-3-kemcruise1-v1.0/catalog
dataset.cat

GOOD

nh-x-swap-3-kemcruise1-v1.0/catalog
nh_kem.cat

GOOD

nh-x-swap-3-kemcruise1-v1.0/catalog
ref.cat

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
docinfo.txt

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
codmac_level_definitions.lbl
codmac_level_definitions.pdf

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
nh_fov.lbl & nh_fov.pdf

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
lunineetal1995.lbl & lunineetal1995.pdf

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
payload_ssr.lbl & payload_ssr.pdf

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
swap_ssr.lbl & swap_ssr.pdf

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
swap_cal.lbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
soc_inst_icd.lbl & soc_inst_icd.pdf

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
nh_mission_trajectory.tbl
nh_mission_trajectory.tab

GOOD

nh-x-swap-3-kemcruise1-v1.0/document
quat_axyz_instr_to_j2k.lbl
quat_axyz_instr_to_j2k.asc

GOOD

nh-x-swap-3-kemcruise1-v1.0/document/traj
traj.fmt

GOOD

nh-x-swap-3-kemcruise1-v1.0/document/
data_summary_plots/data_summary.tbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
calinfo.txt

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
background_009_dac.tbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
background_009_dac_jup.lbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
esa_rpa_v16_energy_binsf_new.lbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
esa_rpa_v18_energy_binsf_new.lbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
esa_rpa_v19_energy_binsf_new2.tbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
fov_mask_2d.tbl & fov_mask_2d.tab

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
list_energy_files.lbl & list_energy_files.tab

GOOD

nh-x-swap-3-kemcruise1-v1.0/calib
rpa_shape.lbl

GOOD

nh-x-swap-3-kemcruise1-v1.0/index
indxinfo.txt

GOOD

nh-x-swap-3-kemcruise1-v1.0/index
checksum.tbl & checksum.tab

GOOD

nh-x-swap-3-kemcruise1-v1.0/index
slimindx.lbl & slimindx.tab

GOOD